

NITROGEN Safety Data Sheet

1. IDENTIFICATION

Product identifier	
Product Name	NITROGEN
Other means of identification	
Safety data sheet number	IOC-P086
UN/ID no.	UN1066

IOC-P086 UN1066 LASER Nitrogen, LASER Nitrogen Ultra, Nitrogen, compressed

Recommended use of the chemical and restrictions on useRecommended UseIndustrial and professional use.Uses advised againstConsumer use

Details of the supplier of the safety data sheet

Indiana Oxygen Company 6099 W. Corporate Way Indianapolis, IN 46278 Phone: 317-290-0003 www.indianaoxygen.com

Synonyms

* May include subsidiaries or affiliate companies/divisions.

For additional product information contact your local customer service.

Emergency telephone number Company Phone Number

1-800-535-5053 (Infotrak)

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200).

Gases under pressure	Compressed gas
Simple asphyxiants	Yes

Label elements



Signal word

Warning

Hazard Statements

Contains gas under pressure; may explode if heated May displace oxygen and cause rapid suffocation

Precautionary Statements - Prevention Do not handle until all safety precautions have been read and understood Use and store only outdoors or in a well ventilated place Use backflow preventive device in piping Use only with equipment rated for cylinder pressure Close valve after each use and when empty

Precautionary Statements - Response IF INHALED: Remove person to fresh air and keep comfortable for breathing. Get medical attention/advice.

Precautionary Statements - Storage Protect from sunlight when ambient temperature exceeds 52°C/125°F

Hazards not otherwise classified (HNOC) Not applicable

Other Information

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No.	Volume %	Chemical Formula	
Nitrogen	7727-37-9	100	N 2	
	4. FIRST AID	MEASURES		
Description of first aid measures				
General advice	eral advice Show this safety data sheet to the doctor in attendance.			
Inhalation	Remove to fresh air and keep comfortable for breathing. If breathing is difficult, give oxygen. If breathing has stopped, give artificial respiration. Get medical attention immediately.			

Skin contact	None under normal use. Get medical attention if symptoms occur.		
Eye contact	None under normal use. Get medical attention if symptoms occur.		
Ingestion	Not an expected route of exposure.		
Self-protection of the first aider	RESCUE PERSONNEL SHOULD BE EQUIPPED WITH SELF-CONTAINED BREATHING APPARATUS.		
Most important symptoms and effects, both acute and delayed			
Symptoms	Simple asphyxiant. May cause suffocation by displacing the oxygen in the air. Exposure to oxygen-deficient atmosphere (<19.5%) may cause dizziness, drowsiness, nausea, vomiting, excess salivation, diminished mental alertness, loss of consciousness and death. Exposure to atmospheres containing 8-10% or less oxygen will bring about unconsciousness without warning and so quickly that the individuals cannot help or protect themselves. Lack of sufficient oxygen may cause serious injury or death.		
Indication of any immediate medical attention and special treatment needed			
Note to physicians	Treat symptomatically.		

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Specific extinguishing methods

Continue to cool fire exposed cylinders until flames are extinguished. Damaged cylinders should be handled only by specialists.

Specific hazards arising from the chemical

Non-flammable gas. Cylinders may rupture under extreme heat.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions	Evacuate personnel to safe areas. Ensure adequate ventilation, especially in confined areas. Monitor oxygen level. Wear self-contained breathing apparatus when entering area unless atmosphere is proved to be safe.	
Environmental precautions		
Environmental precautions	Prevent spreading of vapors through sewers, ventilation systems and confined areas.	
Methods and material for containment and cleaning up		
Methods for containment	Stop the flow of gas or remove cylinder to outdoor location if this can be done without risk. If leak is in container or container valve, contact the appropriate emergency telephone number in Section 1 or call your closest Indiana Oxygen location.	
Methods for cleaning up	Return cylinder to Indiana Oxygen Company or an authorized distributor.	
7. HANDLING AND STORAGE		

Precautions for safe handling

Advice on safe handling

Never put cylinders into trunks of cars or unventilation of compressed gas cylinder without the own compressed gas cylinder or make a cylinder a part of the own compressed gas cylinder or make a cylinder a part of the own compressed gas cylinder or make a cylinder a part of the own compressed gas cylinder or make a cylinder a part of the own compressed gas cylinder or make a cylinder a part of the own compressed gas cylinder or make a cylinder a part of the own compressed gas cylinder or make a cylinder a part of the own compressed gas cylinder or make a cylinder a part of the own compressed gas cylinder or make a cylinder a part of the own compressed gas cylinder or make a cylinder a part of the own compressed gas cylinders in accurate part of the own compressed gas cylinders in accurate part of the own compressed gas cylinders in accurate part of the own compressed gas cylinders in accurate part of the own compressed gas cylinders in accurate part of the own compressed gas cylinders in accurate part of the own compressed gas cylinder of the own compressed gas cylinders in accurate part of the own compressed gas cylinders in accurate part of the own compressed gas cylinders in accurate part of the own compressed gas cylinders in accurate part of the own compressed gas cylinders in accurate part of the own compressed gas cylinders in accurate part of the own compressed gas cylinders in accurate part of the own compressed gas cylinders in accurate part of the own compressed gas cylinders in accurate part of the own compressed gas cylinders in accurate part of the own compressed gas cylinders in accurate part of the own compressed gas cylinders in accurate part of the own compressed gas cylinders in accurate part of the own compressed gas cylinders in accurate part of the own compressed gas cylinders in accurate part of the own compressed gas cylinders in accurate part of the own compressed gas cylinders in accurate part of the own compressed gas cylinders in accurate part of the ow	er's written consent. Never strike an arc on a of an electrical circuit. should handle gases under pressure. Always dance with Compressed Gas Association, ses in Containers.
store and handle compressed gas cylinders in acc pamphlet CGA-P1, Safe Handling of Compressed CG For additional recommendations consult Compress Oxygen-Deficient Atmospheres. Conditions for safe storage, including any incompatibilities Storage Conditions Store in cool, dry, well-ventilated area of non-con trafficked areas and emergency exits. Keep at ten be stored upright with valve protection cap in plate empty cylinders should be segregrated. Use a "fire cylinders from being stored for excessive periods checked for general condition and leakage. Incompatible materials None known. 8. EXPOSURE CONTROLS/PERSONAL PI Control parameters This product, as supplied, does not contain any ha limits established by the region specific regulator Appropriate engineering controls Engineering Controls Local exhaust ventilation to prevent accumulatior levels at or above 19.5%. Oxygen detectors should released. Systems under pressure should be regulated	dance with Compressed Gas Association, ses in Containers.
Oxygen-Deficient Atmospheres.Conditions for safe storage, including any incompatibilitiesStorage ConditionsStore in cool, dry, well-ventilated area of non-con trafficked areas and emergency exits. Keep at ten be stored upright with valve protection cap in place empty cylinders should be segregrated. Use a "fire cylinders from being stored for excessive periods checked for general condition and leakage.Incompatible materialsNone known.Exposure GuidelinesThis product, as supplied, does not contain any ha limits established by the region specific regulator Appropriate engineering controlsEngineering ControlsLocal exhaust ventilation to prevent accumulation levels at or above 19.5%. Oxygen detectors shoul released. Systems under pressure should be regulator	ed Gas Association's (CGA) Safety Bulletin SB-2,
Storage ConditionsStore in cool, dry, well-ventilated area of non-con trafficked areas and emergency exits. Keep at ten be stored upright with valve protection cap in plac empty cylinders should be segregrated. Use a "firs- cylinders from being stored for excessive periods checked for general condition and leakage.Incompatible materialsNone known. Exposure Guidelines Appropriate engineering controlsThis product, as supplied, does not contain any ha limits established by the region specific regulatoryEngineering ControlsLocal exhaust ventilation to prevent accumulation released. Systems under pressure should be regulatory	
trafficked areas and emergency exits. Keep at ten be stored upright with valve protection cap in place empty cylinders should be segregrated. Use a "first cylinders from being stored for excessive periods checked for general condition and leakage.Incompatible materialsNone known. 8. EXPOSURE CONTROLS/PERSONAL PI Control parametersExposure GuidelinesThis product, as supplied, does not contain any ha limits established by the region specific regulatoryAppropriate engineering controlsLocal exhaust ventilation to prevent accumulation levels at or above 19.5%. Oxygen detectors shoul released. Systems under pressure should be regulatory	
B. EXPOSURE CONTROLS/PERSONAL PI Control parameters Exposure Guidelines Appropriate engineering controls Engineering Controls Local exhaust ventilation to prevent accumulation levels at or above 19.5%. Oxygen detectors should released. Systems under pressure should be regulated or	eratures below 52°C / 125°F. Cylinders should and firmly secured to prevent falling. Full and in-first out" inventory system to prevent full
Control parameters Exposure Guidelines Exposure Guidelines This product, as supplied, does not contain any ha limits established by the region specific regulatory Appropriate engineering controls Engineering Controls Engineering Controls Local exhaust ventilation to prevent accumulation levels at or above 19.5%. Oxygen detectors should released. Systems under pressure should be regulated.	
Exposure GuidelinesThis product, as supplied, does not contain any ha limits established by the region specific regulatorAppropriate engineering controlsLocal exhaust ventilation to prevent accumulation levels at or above 19.5%. Oxygen detectors shoul released. Systems under pressure should be regulator	OTECTION
Appropriate engineering controlslimits established by the region specific regulatorEngineering ControlsLocal exhaust ventilation to prevent accumulation levels at or above 19.5%. Oxygen detectors shoul released. Systems under pressure should be regulator	
levels at or above 19.5%. Oxygen detectors shoul released. Systems under pressure should be regul	
Individual protection measures, such as personal protective equipment	
	be used when asphyxiating gases may be
Eye/face protection Wear safety glasses with side shields (or goggles)	be used when asphyxiating gases may be
Skin and body protection Work gloves and safety shoes are recommended	be used when asphyxiating gases may be
Respiratory protection Use positive pressure airline respirator with escap for oxygen-deficient atmospheres (<19.5%).	be used when asphyxiating gases may be
General Hygiene Considerations Handle in accordance with good industrial hygien	be used when asphyxiating gases may be rly checked for leakages. hen handling cylinders.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state Appearance Odor Odor threshold pH Melting point Evaporation rate Lower flammability limit: Upper flammability limit: Flash point Autoignition temperature Decomposition temperature Water solubility Partition coefficient	Compressed gas Colorless. Odorless. Not applicable No data available -209.9 °C / -345.9 °F Not applicable Not applicable Not applicable Not applicable Not applicable No data available Slightly soluble No data available
5	5 5

Chemical Name	Molecular weight	Boiling point	Vapor Pressure	Vapor density (air	Gas Density	Critical
	_		-	=1)	Kg/m ³ @20°C	Temperature
Nitrogen	28.01	-196 °C	Above critical	0.97	1.153	-146.9 °C
			temperature			

10. STABILITY AND REACTIVITY

Reactivity

Not reactive under normal conditions.

<u>Chemical stability</u> Stable under normal conditions.

Explosion data

Sensitivity to Mechanical ImpactNone.Sensitivity to Static DischargeNone.

Possibility of Hazardous Reactions None under normal processing.

Conditions to avoid None under recommended storage and handling conditions (see Section 7).

Incompatible materials None known.

Hazardous Decomposition Products None known.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Inhalation	Product is a simple asphyxiant.
Skin contact	No data available.

Eye contact No data available.

Ingestion	Not an expected route of exposure.
Information on toxicological effects	
Symptoms	No information available.
Delayed and immediate effects as well a	as chronic effects from short and long-term exposure
Irritation	Not classified.
Sensitization	Not classified.
Germ cell mutagenicity	Not classified.
Carcinogenicity	This product does not contain any carcinogens or potential carcinogens listed by OSHA, IARC or NTP.
Reproductive toxicity	Not classified.
Developmental Toxicity	Not classified.
STOT - single exposure	Not classified.
STOT - repeated exposure	Not classified.
Chronic toxicity	None known.
Aspiration hazard	Not applicable.
Numerical measures of toxicity	
Product Information	
Oral LD50	No information available
Dermal LD50	No information available
Inhalation LC50	No information available
Inhalation LC50	No information available.

12. ECOLOGICAL INFORMATION

Ecotoxicity No known acute aquatic toxicity.

Persistence and degradability Not applicable.

Bioaccumulation No information available.

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal of wastes

Do not attempt to dispose of residual waste or unused quantities. Return in the shipping container PROPERLY LABELED WITH ANY VALVE OUTLET PLUGS OR CAPS SECURED AND VALVE PROTECTION CAP IN PLACE to Indiana Oxygen for proper disposal.

14. TRANSPORT INFORMATION

DOT

UN/ID no.UN1066Proper shipping nameNitrogen, compressedHazard Class2.2DescriptionUN1066, Nitrogen, compressedEmergency Response Guide Number121

IOC-P086 NITROGEN

TDG UN/ID no. Proper shipping name Hazard Class Description	UN1066 Nitrogen, compressed 2.2 UN1066, Nitrogen, compressed
MEX UN/ID no. Proper shipping name Hazard Class Description	UN1066 Nitrogen, compressed 2.2 UN1066, Nitrogen, compressed
IATA UN/ID no. Proper shipping name Hazard Class ERG Code Special Provisions Description	UN1066 Nitrogen, compressed 2.2 2L A69 UN1066, Nitrogen, compressed
IMDG UN/ID no. Proper shipping name Hazard Class EmS-No. Description	UN1066 Nitrogen, compressed 2.2 F-C, S-V UN1066, Nitrogen, compressed, 2.2
ADR UN/ID no. Proper shipping name Hazard Class Classification code Tunnel restriction code Special Provisions Description	UN1066 Nitrogen, compressed 2.2 1A (E) 653 UN1066, Nitrogen, compressed

15. REGULATORY INFORMATION

International Inventories	
TSCA	
DSL	
EINECS/ELINCS	

Complies Complies Complies

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazard Categories	
Acute Health Hazard	No
Chronic Health Hazard	No
Fire Hazard	No
Fire Hazard	No

Sudden release of pressure hazard	Yes
Reactive Hazard	No

<u>CERCLA</u>

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

Clean Air Act, Section 112 Hazardous Air Pollutants (HAPs) (see 40 CFR 61)

This product does not contain any substances regulated as hazardous air pollutants (HAPS) under Section 112 of the Clean Air Act Amendments of 1990.

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

Risk and Process Safety Management Programs

This material, as supplied, does not contain any regulated substances with specified thresholds under 40 CFR Part 68. This product does not contain any substances regulated as Highly Hazardous Chemicals pursuant to the 29 CFR Part 1910.110.

US State Regulations

California Proposition 65


This product does not contain any Proposition 65 chemicals

U.S. State Right-to-Know Regulations

Γ	Chemical Name	New Jersey	Massachusetts	Pennsylvania
Γ	Nitrogen	Х	Х	Х
	7727-37-9			

Canada

16. OTHER INFORMATION



Note: Ratings were assigned in accordance with Compressed Gas Association (CGA) guidelines as published in CGA Pamphlet P-19-2009, CGA Recommended Hazard Ratings for Compressed Gases, 3rd Edition.

Issue Date17-Feb-2015Revision Date23-Jul-2015Revision NoteInitial Release.Canaral DirectionerInitial Release.

General Disclaimer

For terms and conditions, including limitation of liability, please refer to the purchase agreement in effect between Indiana Oxygen Company (or any of their affiliates and subsidiaries) and the purchaser.

DISCLAIMER OF EXPRESSED AND IMPLIED WARRANTIES

Although reasonable care has been taken in the preparation of this document, we extend no warranties and make no representations as to the accuracy or completeness of the information contained herein, and assume no responsibility regarding the suitability of this information for the user's intended purposes or for the consequences of its use. Each individual should make a determination as to the suitability of the information for their particular purpose(s).

End of Safety Data Sheet